

## HEIDENAU 01/09/2021

EAN-no.	art.-no.	size / code	LI/SI	TT/ TL type	pattern	Prezzo IVA esclusa	Prezzo IVA inclusa	WIDTH MM	WIDTH INCH	ASPECT RATIO	RIM INCH	LI	SI	TT/TL	RFD	PROFILE	WHEEL POSITION	WEIGHT	
<b>MOTORCYCLE ON-ROAD</b>																			
4027694130079	11130007	130/90 - 15 M/C	66 S	TT	K65 (OMR)	116,00	141,52	130		90	15	66	S	TT	K 65 OMR		r	5,89	
4027694130062	11130006	130/90 - 15 M/C	66 S	TL	K65 (OMR)	118,00	143,96	130		90	15	66	S	TL	K 65 OMR		r	6	
4027694130086	11130008	140/90 - 15 M/C	70 H	TL	K65 (OMR)	135,00	164,70	140		90	15	70	H	TL	K 65 OMR		r	6,61	
4027694130031	11130003	150/90 - 15 M/C	74 H	TL	K65 (OMR)	169,00	206,18	150		90	15	74	H	TL	K 65 OMR		r	7,6	
4027694130048	11130004	170/80 - 15 M/C	77 H	TL	K65 (OMR)	180,00	219,60	170		80	15	77	H	TL	K 65 OMR		r	8,46	
4027694130109	11130010	2.75 - 16 M/C	46 P	TT	Reinf.	K 35	38,00	46,36		2.75	16	46	P	TT	RF K 35		f/r	2,01	
4027694130116	11130011	2.75 - 16 M/C	46 P	TT	Reinf.	K 43	38,00	46,36		2.75	16	46	P	TT	RF K 43		f/r	1,96	
4027694130130	11130013	2.75 - 16 M/C	46 P	TT	Reinf.	K 55	38,00	46,36		2.75	16	46	P	TT	RF K 55		f/r	2,03	
4027694130147	11130014	3.00 - 16 M/C	48 P	TT	Reinf.	K 33	57,00	69,54		3.00	16	48	P	TT	RF K 33		f/r	2,67	
4027694130185	11130018	3.25 - 16 M/C	55 P	TT	Reinf.	K 36	75,00	91,50		3.25	16	55	P	TT	RF K 36		f/r	3,86	
4027694130192	11130019	3.25 - 16 M/C	55 P	TT	Reinf.	K 33	77,00	93,94		3.25	16	55	P	TT	RF K 33		f/r	3,64	
4027694130208	11130020	3.50 - 16 M/C SW	60 P	TT	Reinf.	K 29	86,00	104,92		3.50	16	60	P	TT	RF K 29 Seitenwagen		f/r	3,85	
4027694130222	11130022	3.50 - 16 M/C	58 P	TT	Reinf.	K 33	81,00	98,82		3.50	16	58	P	TT	RF K 33		f/r	3,77	
4027694130246	11130024	5.00 - 16 M/C	71 H	TT	Reinf.	K 34	162,00	197,64		5.00	16	71	H	TT	K 34		f/r	8,08	
4027694130321	11130032	100/90 - 16 M/C	54 H	TL		K 65	93,00	113,46	100		90	54	H	TL	K 65		f	3,86	
4027694130314	11130031	110/90 - 16 M/C	59 S	TL		K 36	101,00	123,22	110		90	59	S	TL	K 36		f/r	4,9	
4027694130338	11130033	120/90 - 16 M/C	63 H	TL		K65 (OMR)	111,00	135,42	120		90	63	H	TL	K 65 (OMR)		f/r	5,12	
4027694130345	11130034	130/90 B 16 M/C	73 H	TL	Reinf.	K 65	143,00	174,46	130		90	16	73	H	TL	RF K 65		f/r	6,7
4027694130307	11130030	140/90 B 16 M/C	77 H	TL	Reinf.	K65 (OMR)	165,00	201,30	140		90	16	77	H	TL	RF K 65 (OMR)		r	7,72
4027694130352	11130035	110/80 - 16 M/C	55 S	TT		K 36	82,00	100,04	110		80	55	S	TT	K 36		f/r	4,1	
4027694130383	11130038	150/80 B 16 M/C	71 H	TL		K65 (OMR)	167,00	203,74	150		80	16	71	H	TL	K 65 (OMR)		f/r	7,97
4027694130505	11130050	2.75 - 17 M/C	47 P	TT	Reinf.	K 36/1	38,00	46,36		2.75	17	47	P	TT	RF K 36/1		f/r	1,94	
4027694130529	11130052	2.75 - 17 M/C	47 P	TT	Reinf.	K 56	41,00	50,02		2.75	17	47	P	TT	RF K 56		f/r	2,1	
4027694131823	11130182	3.00 - 17 M/C	50 P	TT	Reinf.	new K 36/1	48,00	58,56		3.00	17	50	P	TT	RF K 36/1		f/r	2,54	
4027694130697	11130069	70/100 - 17 M/C	40 P	TT		K 66	53,00	64,66	70		100	17	40	P	TT	K 66		f	1,89
4027694130420	11130042	80/100 - 17 M/C	53 S	TL	Reinf.	K 80	58,00	70,76	80		100	17	53	S	TL	RF K 80		f	3,36
4027694130437	11130043	80/100 - 17 M/C	53 S	TL	Reinf.	K 66	60,00	73,20	80		100	17	53	S	TL	RF K 66		f	3,08
4027694130390	11130039	70/90 - 17 M/C	43 S	TL		K 66	48,00	58,56		new									
4027694130475	11130047	80/90 - 17 M/C	50 S	TL	Reinf.	K 80	62,00	75,64	80		90	17	50	S	TL	RF K 80		f/r	3,01
4027694130512	11130051	80/90 - 17 M/C	50 S	TL	Reinf.	K 66	63,00	76,86	80		90	17	50	S	TL	RF K 66		f/r	2,75
4027694130550	11130055	100/90 - 17 M/C	55 H	TL		K 63	88,00	107,36	100		90	17	55	H	TL	K 63		f/r	4,27
4027694130444	11130044	100/90 - 17 M/C	55 H	TL		K 80	85,00	103,70	100		90	17	55	H	TL	K 80		f/r	4,34
4027694130451	11130045	100/90 - 17 M/C	55 H	TL		K 66	87,00	106,14	100		90	17	55	H	TL	K 66		f/r	4,26
4027694130482	11130048	100/80 - 17 M/C	52 H	TL		K 80	83,00	101,26	100		80	17	52	H	TL	K 80		f/r	4,38
4027694130581	11130058	100/80 - 17 M/C	52 H	TL		K 66	85,00	103,70	100		80	17	52	H	TL	K 66		f/r	3,86
4027694130406	11130040	110/80 - 17 M/C	57 H	TL		K 80	94,00	114,68	110		80	17	57	H	TL	K 80		f/r	4,34
4027694130413	11130041	110/80 - 17 M/C	57 H	TL		K 66	96,00	117,12	110		80	17	57	H	TL	K 66		f/r	4,26
4027694130666	11130066	130/80 - 17 M/C	65 H	TL		K 64	125,00	152,50	130		80	17	65	H	TL	K 64		r	5,85
4027694130673	11130067	130/80 - 17 M/C	65 H	TL		K 76	138,00	168,36	130		80	17	65	H	TL	K 76		r	6,62
4027694130901	11130090	110/70 - 17 M/C	54 H	TL		K 80	98,00	119,56	110		70	17	54	H	TL	K 80		f/r	4,02
4027694130598	11130059	110/70 - 17 M/C	54 H	TL		K 66	100,00	122,00	110		70	17	54	H	TL	K 66		f/r	3,68
4027694130611	11130061	110/70 - 17 M/C	54 H	TL		K 68	95,00	115,90	110		70	17	54	H	TL	K 68		f/r	3,6
4027694130987	11130098	120/70 - 17 M/C	58 H	TL		K 80	115,00	140,30	120		70	17	58	H	TL	K 80		f	4,84
4027694130543	11130054	120/70 - 17 M/C	58 H	TL		K 73	118,00	143,96	120		70	17	58	H	TL	K 73		f	4,52
4027694130499	11130049	130/70 - 17 M/C	62 H	TL		K 80	119,00	145,18	130		70	17	62	H	TL	K 80		r	5,58
4027694130642	11130064	130/70 - 17 M/C	62 H	TL		K 66	122,00	148,84	130		70	17	62	H	TL	K 66		r	5,29
4027694130796	11130079	140/70 - 17 M/C	66 H	TL		K 80	137,00	167,14	140		70	17	66	H	TL	K 80		r	6,31
4027694130727	11130072	140/70 - 17 M/C	66 H	TL		K 66	141,00	172,02	140		70	17	66	H	TL	K 66		r	5,76
4027694130741	11130074	150/70 B 17 M/C	69 H	TL		K 76	156,00	190,32	150		70	17	69	H	TL	K 76		r	7,96
4027694130635	11130063	130/60 - 17 M/C	59 H	TL		K 68	125,00	152,50	130		60	17	59	H	TL	K 68		r	4,49

4027694130949	11130094	150/60 - 17 M/C	66 H	TL		K 80	144,00	175,68	150		60	17	66 H	TL	K 80	r	5,92
4027694130468	11130046	150/60 - 17 M/C	66 H	TL		K 66	148,00	180,56	150		60	17	66 H	TL	K 66	r	5,86
4027694130994	11130099	160/60 - 17 M/C	69 H	TL		K 80	153,00	186,66	160		60	17	69 H	TL	K 80	r	6,95
4027694130680	11130068	160/60 - 17 M/C	69 H	TL		K 73	155,00	189,10	160		60	17	69 H	TL	K 73	r	6,05
4027694130789	11130078	2.50 - 18 M/C	45 S	TT	Reinf.	K 40	54,00	65,88		2.50		18	45 S	TT	RF K 40	f/r	2,06
4027694130703	11130070	2.75 - 18 M/C	48 P	TT	Reinf.	K 39	57,00	69,54		2.75		18	48 P	TT	RF K 39	f/r	2,55
4027694130710	11130071	2.75 - 18 M/C	42 S	TL		K 45	59,00	71,98		2.75		18	42 S	TL	K 45	f/r	3,12
4027694130802	11130080	3.00 - 18 M/C	52 S	TT	Reinf.	K 33	64,00	78,08		3.00		18	52 S	TT	RF K 33	f/r	3,36
4027694130772	11130077	3.00 - 18 M/C	47 S	TT		K 65	66,00	80,52		3.00		18	47 S	TT	K 65	f/r	3,21
4027694130819	11130081	3.25 - 18 M/C	52 S	TT		K 34	79,00	96,38		3.25		18	52 S	TT	K 34	f/r	3,95
4027694130826	11130082	3.50 - 18 M/C	62 S	TT	Reinf.	K 34	88,00	107,36		3.50		18	62 S	TT	RF K 34	f/r	3,96
4027694130864	11130086	3.50 - 18 M/C	62 S	TT	Reinf.	K 36	89,00	108,58		3.50		18	62 S	TT	RF K 36	f/r	4,46
4027694130871	11130087	3.50 - 18 M/C	56 H	TT		K65 (OMR)	87,00	106,14		3.50		18	56 H	TT	K 65 (OMR)	f/r	4,21
4027694130888	11130088	3.60 - 18 M/C	51 H	TL		K 44	94,00	114,68		3.60		18	51 H	TL	K 44	f/r	3,55
4027694130932	11130093	4.00 - 18 M/C	64 H	TL		K 36	129,00	157,38		4.00		18	64 H	TL	K 36	f/r	6,21
4027694131113	11130111	4.00 - 18 M/C	64 H	TT		K 34	134,00	163,48		4.00		18	64 H	TT	K 34	f/r	5,26
4027694130918	11130091	4.00 - 18 M/C	70 P	TT	Reinf.	K 28	142,00	173,24		4.00		18	70 P	TT	RF K 28 Seitenwagen	f/r	5,9
4027694130963	11130096	4.10 - 18 M/C	60 H	TL		K 36	116,00	141,52		4.10		18	60 H	TL	K 36	r	5,79
4027694131212	11130121	80/100 - 18 M/C	47 H	TL	Reinf.	K 80	73,00	89,06	80		100	18	47 H	TL	RF K 80	f	3,63
4027694131229	11130122	80/100 - 18 M/C	47 H	TL	Reinf.	K 66	74,00	90,28	80		100	18	47 H	TL	RF K 66	f	3,51
4027694131236	11130123	90/90 - 18 M/C	57 H	TL	Reinf.	K 80	81,00	98,82	90		90	18	57 H	TL	RF K 80	f/r	3,98
4027694131243	11130124	90/90 - 18 M/C	57 H	TL	Reinf.	K 66	83,00	101,26	90		90	18	57 H	TL	RF K 66	f/r	3,95
4027694131021	11130102	90/90 - 18 M/C	51 S	TL		K 44	75,00	91,50	90		90	18	51 S	TL	K 44	f/r	3,16
4027694131014	11130101	90/90 - 18 M/C	51 H	TL		K 44	88,00	107,36	90		90	18	51 H	TL	K 44	f/r	3,46
4027694131038	11130103	100/90 - 18 M/C	56 H	TL		K 65	105,00	128,10	100		90	18	56 H	TL	K 65	f/r	4,52
4027694131052	11130105	110/90 - 18 M/C	61 H	TL		K65 (OMR)	114,00	139,08	110		90	18	61 H	TL	K 65 (OMR)	f/r	4,86
4027694131069	11130106	120/90 - 18 M/C	71 H	TL	Reinf.	K65 (OMR)	146,00	178,12	120		90	18	71 H	TL	RF K 65 (OMR)	f/r	6,85
4027694131106	11130110	110/80 - 18 M/C	60 S	TT		K 36	110,00	134,20	110		80	18	60 S	TT	K 36	f/r	5,37
4027694131144	11130114	110/80 - 18 M/C	60 H	TL		K65 (OMR)	118,00	143,96	110		80	18	60 H	TL	K 65	f/r	5,68
4027694131205	11130120	130/70 - 18 M/C	63 H	TL		K 64	134,00	163,48	130		70	18	63 H	TL	K 64	r	5,43
4027694131380	11130138	2.75 - 19 M/C	47 S	TT		K 34	68,00	82,96		2.75		19	47 S	TT	K 34	f/r	3,16
4027694131397	11130139	3.00 - 19 M/C	49 S	TT		K 34	79,00	96,38		3.00		19	49 S	TT	K 34	f/r	3,22
4027694131410	11130141	3.00 - 19 M/C	49 S	TT		K 65	75,00	91,50		3.00		19	49 S	TT	K 65	f/r	3,59
4027694131458	11130145	3.25 - 19 M/C	54 H	TT		K 34	92,00	112,24		3.25		19	54 H	TT	K 34	f/r	4,57
4027694131540	11130154	3.25 - 19 M/C	54 H	TL		K 44	93,00	113,46		3.25		19	54 H	TL	K 44	f/r	4,22
4027694131519	11130151	3.25 - 19 M/C	54 H	TL		K 65	95,00	115,90		3.25		19	54 H	TL	K 65	f/r	5,08
4027694131557	11130155	3.50 - 19 M/C	57 H	TT		K 34	105,00	128,10		3.50		19	57 H	TT	K 34	f/r	5,15
4027694131571	11130157	4.00 - 19 M/C	64 H	TT		K 34	118,00	143,96		4.00		19	64 H	TT	K 34	f/r	6,21
4027694131526	11130152	4.00 - 19 M/C	71 P	TT	Reinf.	K 28	134,00	163,48		4.00		19	71 P	TT	RF K 28 Seitenwagen	f/r	5,92
4027694131588	11130158	90/90 - 19 M/C	52 H	TL		K 65	94,00	114,68	90		90	19	52 H	TL	K 65	f	4,12
4027694131601	11130160	100/90 - 19 M/C	57 H	TL		K 65	117,00	142,74	100		90	19	57 H	TL	K 65	f/r	4,85
4027694131595	11130159	100/90 - 19 M/C	57 H	TL		K 76	116,00	141,52	100		90	19	57 H	TL	K 76	f/r	5,25
4027694131625	11130162	110/90 - 19 M/C	62 H	TL		K 65	120,00	146,40	110		90	19	62 H	TL	K 65	f/r	5,15
4027694131632	11130163	110/80 B 19 M/C	59 H	TL		K 76	126,00	153,72	110		80	19	59 H	TL	K 76	f	5,28
4027694131656	11130165	80/90 - 21 M/C	48 H	TL		K 65	104,00	126,88	80		90	21	48 H	TL	K 65	f	3,69
4027694131670	11130167	90/90 - 21 M/C	54 H	TL		K 76	108,00	131,76	90		90	21	54 H	TL	K 76	f	4,35
4027694131700	11130170	MH 90 - 21 M/C	54 H	TL		K 65	106,00	129,32	90		21	54 H	TL	K 65	f	3,74	
<b>ENDURO, DUAL SPORT</b>																	
4027694140108	11140010	2.50/2.75 - 16 M/C	46 M	TT	Reinf.	K 52	43,00	52,46		2.75		16	46 M	TT	K 52	f/r	2,32
4027694140115	11140011	2.75 - 16 M/C	46 M	TT	Reinf.	K 32	38,00	46,36		2.75		16	46 M	TT	RF K 32	f/r	2,06
4027694140122	11140012	2.75 - 16 M/C	46 M	TT	Reinf.	K 42	40,00	48,80		2.75		16	46 M	TT	RF K 42	f/r	2,17
4027694140139	11140013	2.75 - 16 M/C	46 M	TT	Reinf.	K 46	40,00	48,80		2.75		16	46 M	TT	RF K 46	f/r	2,17
4027694140177	11140017	3.25 - 16 M/C	55 P	TT	Reinf.	K 41	69,00	84,18		3.25		16	55 P	TT	RF K 41	f/r	3,74
4027694140207	11140020	2.75 - 17 M/C	47 M	TT	Reinf.	K 46	42,00	51,24		2.75		17	47 M	TT	RF K 46	f/r	2,26
4027694140214	11140021	2.75 - 17 M/C	47 P	TT	Reinf.	K 58	51,00	62,22		2.75		17	47 P	TT	RF K 58	f/r	2,84

4027694140252	11140025	3.00 - 17 M/C	50 P	TT	Reinf.	K 58	58,00	70,76		3.00	17	50 P	TT	RF	K 58	f/r	3,4	
4027694140283	11140028	4.60 - 17 M/C	68 T	TT	Reinf.	K 60	107,00	130,54		4.60	17	68 T	TT	RF	K 60	r	5,41	
4027694140290	11140029	5.10 - 17 M/C	69 T	TT	Reinf.	K 60	110,00	134,20		5.10	17	69 T	TT	RF	K 60	r	5,41	
4027694140276	11140027	120/90 - 17 M/C	64 T	TT	M+S	K60 Scout	125,00	152,50	120		90	17	64 T	TT		K 60 Scout M+S	r	6,24
4027694140412	11140041	130/80 - 17 M/C	65 T	TL	M+S	K60 Scout	135,00	164,70	130		80	17	65 T	TL		K 60 Scout M+S	r	6,38
4027694141013	11140101	130/80 - 17 M/C	65 R	TL	M+S	new K60 Ranger	126,00	153,72	130		80	17	65 R	TL		K 60 Ranger M+S	r	6,50
4027694140511	11140051	140/80 - 17 M/C	69 T	TL	M+S	K60 Scout	165,00	201,30	140		80	17	69 T	TL		K 60 Scout M+S	r	7,66
4027694141020	11140102	140/80 - 17 M/C	69 R	TL	M+S	new K60 Ranger	156,00	190,32	140		80	17	69 R	TL		K 60 Ranger M+S	r	7,35
4027694140863	11140086	150/70 B 17 M/C	69 T	TL	M+S	K60 Scout	175,00	213,50	150		70	17	69 T	TL		K 60 Scout M+S	r	7,93
4027694141037	11140103	150/70 B 17 M/C	69 R	TL	M+S	new K60 Ranger	165,00	201,30	150		70	17	69 R	TL		K 60 Ranger M+S	r	7,95
4027694140313	11140031	170/60 B 17 M/C	72 T	TL	M+S	K60 Scout	188,00	229,36	170		60	17	72 T	TL		K 60 Scout M+S	r	8,41
4027694141044	11140104	170/60 B 17 M/C	72 R	TL	M+S	new K60 Ranger	178,00	217,16	170		60	17	72 R	TL		K 60 Ranger M+S	r	8,25
4027694140405	11140040	3.00 - 18 M/C	52 P	TT	Reinf.	K 41	73,00	89,06		3.00	18	52 P	TT	RF	K 41	f/r	3,8	
4027694140436	11140043	3.25 - 18 M/C	59 P	TT	Reinf.	K 37	90,00	109,80		3.25	18	59 P	TT	RF	K 37	f/r	4,99	
4027694140450	11140045	3.50 - 18 M/C	62 P	TT	Reinf.	K 37	100,00	122,00		3.50	18	62 P	TT	RF	K 37	f/r	5,44	
4027694140474	11140047	4.00 - 18 M/C	64 T	TT		K 67	108,00	131,76		4.00	18	64 T	TT		K 67	r	5,36	
4027694140467	11140046	4.00 - 18 M/C	64 T	TT	M+S	K60 Scout	117,00	142,74		4.00	18	64 T	TT		K 60 Scout M+S	r	6,27	
4027694140498	11140049	4.10 - 18 M/C	60 S	TT		K 60	93,00	113,46		4.10	18	60 S	TT		K 60	r	4,66	
4027694140559	11140055	90/90 - 18 M/C	51 S	TT		K 60	78,00	95,16	90		90	18	51 S	TT		K 60 front	f/r	3,57
4027694140535	11140053	100/90 - 18 M/C	56 H	TL	M+S	K60 Scout	127,00	154,94	100		90	18	56 H	TL		K 60 Scout M+S	f/r	4,58
4027694140566	11140056	120/90 - 18 M/C	71 T	TT	Reinf.	K 60	121,00	147,62	120		90	18	71 T	TT	RF	K 60	r	5,87
4027694140504	11140050	110/80 - 18 M/C	58 S	TT		K 60	94,00	114,68	110		80	18	58 S	TT		K 60	f/r	4,66
4027694140528	11140052	120/80 - 18 M/C	62T	TT		K 60	100,00	122,00	120		80	18	62 T	TT		K 60	r	4,66
4027694140580	11140058	130/80 - 18 M/C	72 T	TT	Reinf.	K 60	120,00	146,40	130		80	18	72 T	TT	RF	K 60	r	5,87
4027694140894	11140089	140/80 - 18 M/C	70 T	TT	M+S	new K60 Scout	148,00	180,56	140		80	18	70 T	TT		K 60 Scout M+S	r	7,59
4027694141068	11140106	140/80 - 18 M/C	70 R	TT	M+S	new K60 Ranger	137,00	167,14	140		80	18	70 R	TT		K 60 Ranger M+S	r	7,80
4027694140887	11140088	150/70 B 18 M/C	70 T	TL	M+S	K60 Scout	175,00	213,50	150		70	18	70 T	TL		K 60 Scout M+S	r	8,62
4027694141075	11140107	150/70 B 18 M/C	70 R	TL	M+S	new K60 Ranger	164,00	200,08	150		70	18	70 R	TL		K 60 Ranger M+S	r	8,55
4027694140603	11140060	2.50 - 19 M/C	41 M	TT		K 46	46,00	56,12		2.50	19	41 M	TT		K 46	f/r	2,21	
4027694140634	11140063	3.25 - 19 M/C	54 T	TT		K 67	105,00	128,10		3.25	19	54 T	TT		K 67	f/r	4,37	
4027694140672	11140067	3.50 - 19 M/C	57 T	TT		K 67	116,00	141,52		3.50	19	57 T	TT		K 67	f/r	4,56	
4027694140658	11140065	4.00 - 19 M/C	71 P	TT	Reinf.	K 37	131,00	159,82		4.00	19	71 P	TT	RF	K 37 Seitenwagen	f/r	6,38	
4027694140610	11140061	100/90 - 19 M/C	57 T	TL		K 60	101,00	123,22	100		90	19	57 T	TL		K 60	f	4,75
4027694140856	11140085	110/80 B 19 M/C	59 T	TL	M+S	K60 Scout	137,00	167,14	110		80	19	59 T	TL		K 60 Scout M+S	f	5,45
4027694141099	11140109	110/80 B 19 M/C	59 R	TL	M+S	new K60 Ranger	126,00	153,72	110		80	19	59 R	TL		K 60 Ranger M+S	f	5,55
4027694140665	11140066	120/70 B 19 M/C	60 T	TL	M+S	K60 Scout	143,00	174,46	120		70	19	60 T	TL		K 60 Scout M+S	f	5,06
4027694141105	11140110	120/70 B 19 M/C	60 R	TL	M+S	new K60 Ranger	132,00	161,04	120		70	19	60 R	TL		K 60 Ranger M+S	f	4,95
4027694140702	11140070	2.50 - 21 M/C	48 P	TT	Reinf.	K 60 front	66,00	80,52		2.50	21	48 P	TT	RF	K 60 front	f	3,27	
4027694140719	11140071	2.75 - 21 M/C	45 P	TT		K 60 front	68,00	82,96		2.75	21	45 P	TT		K 60 front	f	3,27	
4027694140795	11140079	2.75 - 21 M/C	45 P	TT		K 67	62,00	75,64		2.75	21	45 P	TT		K 67	f	2,93	
4027694140757	11140075	3.00 - 21 M/C	51 T	TT		K 60 front	74,00	90,28		3.00	21	51 T	TT		K 60 front	f	3,65	
4027694140740	11140074	3.00 - 21 M/C	51 T	TT		K 67	72,00	87,84		3.00	21	51 T	TT		K 67	f	3,61	
4027694140788	11140078	80/100 - 21 M/C	51 S	TT		K 60 front	71,00	86,62	80		100	21	51 S	TT		K 60 front	f	3,65
4027694140726	11140072	80/90 - 21 M/C	48 P	TT		K 60 front	67,00	81,74	80		90	21	48 P	TT		K 60 front	f	3,27
4027694140818	11140081	90/90 - 21 M/C	54 T	TT		K 60 front	75,00	91,50	90		90	21	54 T	TT		K 60 front	f	3,66
4027694140832	11140083	90/90 - 21 M/C	54 T	TL	M+S	K60 Scout	97,00	118,34	90		90	21	54 T	TL		K 60 Scout M+S	f	4,36
4027694141112	11140111	90/90 - 21 M/C	54 R	TL	M+S	new K60 Ranger	90,00	109,80	90		90	21	54 R	TL		K 60 Ranger M+S	f	4,20
<b>SCOOTER</b>																		
4027694120056	11120005	3.00 - 4	35 B	TT		MSC1	24,00	29,28		3.00	4	35 B	TT		MSC 1	f/r	0,66	
4027694120025	11120002	3.50 - 8	46 M	TL		K 75	40,50	49,41		3.50	8	46 M	TL		K 75	f/r	2,01	
4027694120049	11120004	3.50 - 8	46 M	TL		K 38	42,00	51,24		3.50	8	46 M	TL		K 38	f/r	2	
4027694120094	11120009	4.00 - 8	55 M	TT		K 75	43,00	52,46		4.00	8	55 M	TT		K 75	f/r	2,06	
4027694120117	11120011	3.00 - 10	50 J	TT	Reinf.	K 38	33,00	40,26		3.00	10	50 J	TT	RF	K 38	f/r	1,69	
4027694120124	11120012	3.00 - 10	50 J	TL	Reinf.	K 38	37,50	45,75		3.00	10	50 J	TL	RF	K 38	f/r	2,02	
4027694120148	11120014	3.00 - 10	50 J	TL	Reinf.	K 50	37,50	45,75		3.00	10	50 J	TL	RF	K 50	f/r	2,02	

4027694120155	11120015	3.00 - 10	50 J	TL	Reinf.	K 58	36,00	43,92		3.00	10	50 J	TL	RF	K 58	f/r	2,02
4027694121954	11120195	3.00 - 10	50 M	TL	Reinf.	K80 SR	38,50	46,97		3.00	10	50 M	TL	RF	K 80 SR	f/r	2,16
4027694120162	11120016	3.50 - 10	59 M	TT	Reinf.	K 38	41,00	50,02		3.50	10	59 M	TT	RF	K 38	f/r	2,26
4027694120179	11120017	3.50 - 10	59 M	TL	Reinf.	K 38	43,50	53,07		3.50	10	59 M	TL	RF	K 38	f/r	2,46
4027694120223	11120022	3.50 - 10	59 M	TL	Reinf.	K 47	43,50	53,07		3.50	10	59 M	TL	RF	K 47	f/r	2,43
4027694120193	11120019	3.50 - 10	59 M	TT	Reinf.	K 58	42,50	51,85		3.50	10	59 M	TT	RF	K 58	f/r	2,19
4027694120186	11120018	3.50 - 10	59 M	TL	Reinf.	K 58	43,50	53,07		3.50	10	59 M	TL	RF	K 58	f/r	2,34
4027694120292	11120029	3.50 - 10	59 J	TL	Reinf.	K 61	44,50	54,29		3.50	10	59 J	TL	RF	K 61	f/r	2,4
4027694121800	11120180	3.50 - 10	59 M	TL	Reinf.	K80 SR	44,50	54,29		3.50	10	59 M	TL	RF	K 80 SR	f/r	2,66
4027694121879	11120187	3.50 - 10	59 M	TT	Reinf.	K80 SR	43,50	53,07		3.50	10	59 M	TT	RF	K 80 SR	f/r	2,52
4027694120261	11120026	90/100 - 10	53 M	TL		K 58	44,00	53,68	90	100	10	53 M	TL		K 58	f/r	2,41
4027694120339	11120033	90/90 - 10	50 J	TL		K 58	42,00	51,24	90	90	10	50 J	TL		K 58	f/r	2,34
4027694120346	11120034	90/90 - 10	50 J	TL		K 61	44,50	54,29	90	90	10	50 J	TL		K 61	f/r	2,4
4027694121817	11120181	90/90 - 10	50 M	TL		K80 SR	44,50	54,29	90	90	10	50 M	TL		K 80 SR	f/r	2,32
4027694120377	11120037	100/90 - 10	61 J	TL	Reinf.	K 58	50,00	61,00	100	90	10	61 J	TL	RF	K 58	f/r	3,14
4027694120391	11120039	100/90 - 10	61 M	TL	Reinf.	K 61	52,50	64,05	100	90	10	61 M	TL	RF	K 61	f/r	3,02
4027694121824	11120182	100/90 - 10	61 M	TL	Reinf.	K80 SR	52,50	64,05	100	90	10	61 M	TL	RF	K 80 SR	f/r	2,81
4027694120384	11120038	110/90 - 10	66 J	TL	Reinf.	K 58	52,00	63,44	110	90	10	66 J	TL	RF	K 58	f/r	2,89
4027694120407	11120040	120/90 - 10	66 M	TL		K 59	54,00	65,88	120	90	10	66 M	TL		K 59	f/r	3,17
4027694120438	11120043	120/90 - 10	66 M	TL		K 61	56,00	68,32	120	90	10	66 M	TL		K 61	f/r	3,41
4027694120414	11120041	120/90 - 10	66 M	TL		K 77	57,00	69,54	120	90	10	66 M	TL		K 77	f/r	3,46
4027694121886	11120188	120/90 - 10	66 M	TL		K80 SR	56,00	68,32	120	90	10	66 M	TL		K 80 SR	f/r	3,56
4027694120421	11120042	130/90 - 10	61 J	TL		K 59	60,00	73,20	130	90	10	61 J	TL		K 59	f/r	3,65
4027694120445	11120044	130/90 - 10	61 J	TL		K 61	61,00	74,42	130	90	10	61 J	TL		K 61	f/r	3,75
4027694120452	11120045	130/90 - 10	61 J	TL		K 77	61,00	74,42	130	90	10	61 J	TL		K 77	f/r	3,72
4027694120469	11120046	100/80 - 10	58 J	TL	Reinf.	K 48	40,00	48,80	100	80	10	58 J	TL	RF	K 48	f/r	2,27
4027694120476	11120047	100/80 - 10	58 M	TL	Reinf.	K 58	45,00	54,90	100	80	10	58 M	TL	RF	K 58	f/r	2,37
4027694120797	11120079	100/80 - 10	58 M	TL	Reinf.	K 61	46,00	56,12	100	80	10	58 M	TL	RF	K 61	f/r	2,89
4027694121930	11120193	100/80 - 10	58 M	TL	Reinf.	K80 SR	46,00	56,12	100	80	10	58 M	TL	RF	K 80 SR	f/r	2,57
4027694120544	11120054	110/80 - 10	63 M	TL	Reinf.	K 58	47,00	57,34	110	80	10	63 M	TL	RF	K 58	f/r	2,77
4027694120780	11120078	110/80 - 10	63 M	TL	Reinf.	K 61	50,00	61,00	110	80	10	63 M	TL	RF	K 61	f/r	2,95
4027694120643	11120064	120/70 - 10	54 M	TL	Reinf.	K 61	56,00	68,32	120	70	10	54 M	TL	RF	K 61	f/r	3,28
4027694120513	11120051	120/70 - 10	54 M	TL	Reinf.	K 62	55,00	67,10	120	70	10	54 M	TL	RF	K 62	f/r	3,12
4027694121978	11120197	120/70 - 10	54 M	TL	Reinf.	K80 SR	56,00	68,32	120	70	10	54 M	TL	RF	K80SR	f/r	3,44
4027694120568	11120056	130/70 - 10	62 M	TL	Reinf.	K 61	57,00	69,54	130	70	10	62 M	TL	RF	K 61	r	3,34
4027694120575	11120057	130/70 - 10	62 M	TL	Reinf.	K 62	55,00	67,10	130	70	10	62 M	TL	RF	K 62	r	3,18
4027694121961	11120196	130/70 - 10	62 M	TL	Reinf.	K80 SR	57,00	69,54	130	70	10	62 M	TL	RF	K 80 SR	r	3,44
4027694120667	11120066	110/70 - 11	45 M	TL		K 58	49,00	59,78	110	70	11	45 M	TL		K 58	f/r	2,53
4027694120537	11120053	110/70 - 11	45 M	TL		K 61	49,00	59,78	110	70	11	45 M	TL		K 61	f/r	2,62
4027694121985	11120198	110/70 - 11	45 M	TL		K80 SR	49,00	59,78	110	70	11	45 M	TL		K 80 SR	f/r	2,66
4027694120582	11120058	120/70 - 11	56 M	TL	Reinf.	K 58 mod.	51,00	62,22	120	70	11	56 M	TL	RF	K 58 mod.	f/r	3,01
4027694120773	11120077	120/70 - 11	56 M	TL	Reinf.	K 61	51,00	62,22	120	70	11	56 M	TL	RF	K 61	f/r	3,12
4027694120704	11120070	130/70 - 11	60 M	TL	Reinf.	K 62	55,00	67,10	130	70	11	60 M	TL	RF	K 62	r	3,08
4027694120681	11120068	130/70 - 11	60 M	TL	Reinf.	K 61	55,00	67,10	130	70	11	60 M	TL	RF	K 61	r	3,39
4027694120605	11120060	3.00 - 12	47 J	TT		K 38	42,00	51,24		3.00	12	47 J	TT		K 38	f/r	2,28
4027694120612	11120061	3.00 - 12	47 J	TT		K 57	43,50	53,07		3.00	12	47 J	TT		K 57	f/r	2,33
4027694120520	11120052	3.00 - 12	47 J	TT		K 61	40,00	48,80		3.00	12	47 J	TT		K 61	f/r	2,23
4027694120650	11120065	3.50 - 12	56 M	TT		K 3	58,00	70,76		3.50	12	56 M	TT		K 3	f/r	2,77
4027694120674	11120067	110/100 - 12	67 M	TL		K 58 mod.	59,00	71,98	110	100	12	67 M	TL		K 58 mod.	f	3,54
4027694121862	11120186	90/90 - 12	54 M	TL		K 58	50,00	61,00	90	90	12	54 M	TL		K 58	f/r	2,62
4027694121855	11120185	90/90 - 12	54 M	TL		K80 SR	52,00	63,44	90	90	12	54 M	TL		K 80 SR	f/r	2,67
4027694121558	11120155	100/90 - 12	64 M	TL	Reinf.	K80 SR	59,00	71,98	100	90	12	64 M	TL	RF	K 80 SR	f/r	3,37
4027694120636	11120063	110/90 - 12	64 M	TL		K 58 mod.	61,00	74,42	110	90	12	64 M	TL		K 58 mod.	f/r	3,13
4027694120827	11120082	120/80 - 12	65 M	TL		K 58 mod.	58,00	70,76	120	80	12	65 M	TL		K 58 mod.	f/r	3,28
4027694120810	11120081	120/80 - 12	65 M	TL		K 61	64,00	78,08	120	80	12	65 M	TL		K 61	f/r	3,86

4027694121565	11120156	120/80 - 12	65 M	TL		K80 SR	66,00	80,52	120	80	12	65 M	TL	K 80 SR	f/r	3,96
4027694120834	11120083	130/80 - 12	69 M	TL		K 62	68,00	82,96	130	80	12	69 M	TL	K 62	f/r	4,07
4027694120841	11120084	130/80 - 12	69 M	TL		K 61	71,00	86,62	130	80	12	69 M	TL	K 61	f/r	4,26
4027694121398	11120139	110/70 - 12	56 M	TL	Reinf.	K 58	51,00	62,22	110	70	12	56 M	TL	K 58	f/r	2,73
4027694121404	11120140	110/70 - 12	56 M	TL	Reinf.	K 61	55,00	67,10	110	70	12	56 M	TL	K 61	f/r	2,82
4027694121893	11120189	110/70 - 12	56 M	TL	Reinf.	K80 SR	55,00	67,10	110	70	12	56 M	TL	K 80 SR	f/r	3,25
4027694120698	11120069	120/70 - 12	58 S	TL	Reinf.	K 58 mod.	62,00	75,64	120	70	12	58 S	TL	RF K 58 mod.	f/r	3,36
4027694120766	11120076	120/70 - 12	58 S	TL	Reinf.	K 61	65,00	79,30	120	70	12	58 S	TL	RF K 61	f/r	3,53
4027694121701	11120170	120/70 - 12	58 S	TL	Reinf.	K 66 LT	64,00	78,08	120	70	12	58 S	TL	RF K 66 LT	f/r	3,52
4027694121831	11120183	120/70 - 12	58 S	TL	Reinf.	K80 SR	65,00	79,30	120	70	12	58 S	TL	RF K 80 SR	f/r	3,45
4027694120728	11120072	130/70 - 12	62 P	TL	Reinf.	K 58 mod.	63,00	76,86	130	70	12	62 P	TL	RF K 58 mod.	f/r	3,5
4027694121749	11120174	130/70 - 12	62 P	TL	Reinf.	K 61	67,00	81,74	130	70	12	62 P	TL	RF K 61	f/r	3,91
4027694121787	11120178	130/70 - 12	62 P	TL	Reinf.	K 66 LT	66,00	80,52	130	70	12	62 P	TL	RF K 66 LT	f/r	3,77
4027694121848	11120184	130/70 - 12	62 P	TL	Reinf.	K80 SR	67,00	81,74	130	70	12	62 P	TL	RF K 80 SR	f/r	3,84
4027694120735	11120073	140/70 - 12	65 P	TL	Reinf.	K 58 mod.	68,00	82,96	140	70	12	65 P	TL	RF K 58 mod.	r	3,89
4027694120278	11120027	140/70 - 12	65 P	TL	Reinf.	K 61 OMR	71,00	86,62	140	70	12	65 P	TL	RF K 61 OMR	r	4,04
4027694121916	11120191	140/70 - 12	65 P	TL	Reinf.	K80 SR	71,00	86,62	140	70	12	65 P	TL	RF K 80 SR	r	4,05
4027694121435	11120143	110/90 - 13 M/C	56 Q	TL		new K 81	72,00	87,84	110	90	13	56 Q	TL	K 81	f/r	4,11
4027694121442	11120144	110/90 - 13 M/C	56 Q	TL		new K 66	70,00	85,40	110	90	13	56 Q	TL	K 66	f/r	3,88
4027694121763	11120176	110/70 - 13 M/C	48 S	TL		new K 81	62,00	75,64	110	70	13	48 S	TL	K 81	f	3,44
4027694121770	11120177	110/70 - 13 M/C	48 S	TL		new K 66	61,00	74,42	110	70	13	48 S	TL	K 66	f	3,02
4027694120551	11120055	120/70 - 13 M/C	53 P	TL		K 61	58,00	70,76	120	70	13	53 P	TL	K 61	f/r	3,48
4027694120858	11120085	120/70 - 13 M/C	53 P	TL		K 62	52,00	63,44	120	70	13	53 P	TL	K 62	f/r	2,99
4027694121923	11120192	120/70 - 13 M/C	53 P	TL		K80 SR	58,00	70,76	120	70	13	53 P	TL	K 80 SR	f/r	3,49
4027694121459	11120145	130/70 - 13 M/C	63 Q	TL	Reinf.	new K 81	81,00	98,82	130	70	13	63 Q	TL	RF K 81	f/r	4,82
4027694121466	11120146	130/70 - 13 M/C	63 Q	TL	Reinf.	new K 66	78,00	95,16	130	70	13	63 Q	TL	RF K 66	f/r	4,29
4027694121046	11120104	150/70 - 13 M/C	64 S	TL		K 66	87,00	106,14	150	70	13	64 S	TL	K 66	r	4,71
4027694121084	11120108	150/70 - 13 M/C	64 S	TL		K 81	88,00	107,36	150	70	13	64 S	TL	K 81	r	5,49
4027694120759	11120075	130/60 - 13 M/C	60 P	TL	Reinf.	K 61	60,00	73,20	130	60	13	60 P	TL	RF K 61	f/r	3,46
4027694120711	11120071	130/60 - 13 M/C	60 P	TL	Reinf.	K 62	56,00	68,32	130	60	13	60 P	TL	RF K 62	f/r	3,28
4027694121909	11120190	130/60 - 13 M/C	60 P	TL	Reinf.	K80 SR	63,00	76,86	130	60	13	60 P	TL	RF K 80 SR	f/r	3,85
4027694122005	11120200	130/60 - 13 M/C	60 P	TL	Reinf.	new K 66 LT	58,00	70,76	130	60	13	60 P	TL	RF K 66	f/r	3,74
4027694120865	11120086	140/60 - 13 M/C	63 P	TL	Reinf.	K 61 OMR	64,00	78,08	140	60	13	63 P	TL	RF K 61 OMR	r	4,05
4027694120599	11120059	140/60 - 13 M/C	63 P	TL	Reinf.	K 62	63,00	76,86	140	60	13	63 P	TL	RF K 62	r	3,82
4027694121940	11120194	140/60 - 13 M/C	63 P	TL	Reinf.	K80 SR	64,00	78,08	140	60	13	63 P	TL	RF K 80 SR	r	4
4027694121480	11120148	80/90 - 14 M/C	46 P	TL	Reinf.	K 81	46,00	56,12	80	90	14	46 P	TL	RF K 81	f/r	2,2
4027694121497	11120149	80/90 - 14 M/C	46 P	TL	Reinf.	K 66	48,00	58,56	80	90	14	46 P	TL	RF K 66	f/r	2,18
4027694121572	11120157	90/90 - 14 M/C	52 P	TL	Reinf.	K 81	53,00	64,66	90	90	14	52 P	TL	RF K 81	f/r	2,64
4027694121589	11120158	90/90 - 14 M/C	52 P	TL	Reinf.	K 66	54,00	65,88	90	90	14	52 P	TL	RF K 66	f/r	2,62
4027694121527	11120152	100/90 - 14 M/C	57 P	TL	Reinf.	K 81	64,00	78,08	100	90	14	57 P	TL	RF K 81	f/r	3,46
4027694121534	11120153	100/90 - 14 M/C	57 P	TL	Reinf.	K 66	65,00	79,30	100	90	14	57 P	TL	RF K 66	f/r	3,33
4027694120742	11120074	80/80 - 14 M/C	43 J	TL	Reinf.	K 66	38,50	46,97	80	80	14	43 J	TL	RF K 66	f/r	2,11
4027694121473	11120147	100/80 - 14 M/C	54 S	TL	Reinf.	K 66	55,00	67,10	100	80	14	54 S	TL	RF K 66	f/r	3,1
4027694121688	11120168	100/80 - 14 M/C	54 S	TL	Reinf.	new K 81	57,00	69,54								
4027694121602	11120160	110/80 - 14 M/C	59 P	TL	Reinf.	K 66	65,00	79,30	110	80	14	59 P	TL	RF K 66	f/r	3,57
4027694121015	11120101	120/80 - 14 M/C	58 S	TL		K 66	70,00	85,40	120	80	14	58 S	TL	K 66	f/r	4,12
4027694121220	11120122	120/80 - 14 M/C	58 S	TL		K 81	71,00	86,62	120	80	14	58 S	TL	K 81	f/r	4,56
4027694121152	11120115	100/70 - 14 M/C	50 J	TL	Reinf.	K 66	52,00	63,44	100	70	14	50 J	TL	RF K 66	f/r	2,39
4027694121176	11120117	120/70 - 14 M/C	55 S	TL		K 63	75,00	91,50	120	70	14	55 S	TL	K 63	f/r	3,98
4027694121619	11120161	120/70 - 14 M/C	55 H	TL		K 81	75,00	91,50	120	70	14	55 H	TL	K 81	f/r	4,02
4027694121169	11120116	120/70 - 14 M/C	55 S	TL		K 66	74,00	90,28	120	70	14	55 S	TL	K 66	f/r	3,96
4027694121190	11120119	140/70 - 14 M/C	68 S	TL	Reinf.	K 64 OMR	92,00	112,24	140	70	14	68 S	TL	RF K 64 OMR	r	5,7
4027694121183	11120118	140/70 - 14 M/C	68 S	TL	Reinf.	K 66	91,00	111,02	140	70	14	68 S	TL	RF K 66	r	5,5
4027694121664	11120166	140/70 - 14 M/C	68 S	TL	Reinf.	new K 81	93,00	113,46								
4027694121213	11120121	150/70 - 14 M/C	66 S	TL		K 66	96,00	117,12	150	70	14	66 S	TL	K 66	r	5,51

4027694121244	11120124	140/60 - 14 M/C	64 S	TL	Reinf.		K 66	75,00	91,50	140	60	14	64 S	TL	RF	K 66	r	4,38
4027694121411	11120141	160/60 - 14 M/C	65 H	TL			K 66	116,00	141,52	160	60	14	65 H	TL		K 66	r	5,36
4027694121428	11120142	160/60 - 14 M/C	65 H	TL			K 81	118,00	143,96	160	60	14	65 H	TL		K 81	r	5,51
4027694121282	11120128	130/80 - 15 M/C	63 P	TL			K 66	93,00	113,46	130	80	15	63 P	TL		K 66	r	4,78
4027694121626	11120162	120/70 - 15 M/C	56 H	TL			K 66	81,00	98,82	120	70	15	56 H	TL		K 66	f	4,15
4027694121541	11120154	120/70 - 15 M/C	56 H	TL			K 81	83,00	101,26	120	70	15	56 H	TL		K 81	f	4,59
4027694121671	11120167	140/70 - 15 M/C	69 P	TL	Reinf.	new	K 66	94,00	114,68	140	70	15	69 P	TL		K 66	r	4,75
4027694121640	11120164	160/60 B15 M/C	67 H	TL			K 66	135,00	164,70	160	60	15	67 H	TL		K 66	r	6,65
4027694121633	11120163	160/60 B15 M/C	67 H	TL			K 81	128,00	156,16	160	60	15	67 H	TL		K 81	r	6,65
4027694120902	11120090	80/80 - 16 M/C	46 J	TL	Reinf.		K 63	46,00	56,12	80	80	16	46 J	TL	RF	K 63	f/r	2,38
4027694121251	11120125	80/80 - 16 M/C	46 J	TL	Reinf.		K 66	42,00	51,24	80	80	16	46 J	TL	RF	K 66	f/r	2,21
4027694120919	11120091	90/80 - 16 M/C	52 J	TL	Reinf.		K 63 OMR	51,00	62,22	90	80	16	52 J	TL	RF	K 63	f/r	2,96
4027694121312	11120131	90/80 - 16 M/C	52 J	TL	Reinf.		K 66	48,00	58,56	90	80	16	52 J	TL	RF	K 66	f/r	2,97
4027694120926	11120092	100/80 - 16 M/C	56 P	TL	Reinf.		K 63	64,00	78,08	100	80	16	56 P	TL	RF	K 63	f/r	3,1
4027694120988	11120098	100/80 - 16 M/C	56 P	TL	Reinf.		K 66	64,00	78,08	100	80	16	56 P	TL	RF	K 66	f/r	3,19
4027694130369	11130036	110/80 - 16 M/C	55 S	TL			K 66	81,00	98,82	110	80	16	55 S	TL		K 66	f/r	4,11
4027694121039	11120103	120/80 - 16 M/C	60 S	TL			K 66	89,00	108,58	120	80	16	60 S	TL		K 66	r	5,15
4027694121077	11120107	100/70 - 16 M/C	52 J	TL			K 66	61,00	74,42	100	70	16	52 J	TL		K 66	f/r	3,07
4027694121343	11120134	110/70 - 16 M/C	52 S	TL			K 66	62,00	75,64	110	70	16	52 S	TL		K 66	f/r	3,28
4027694121329	11120132	110/70 - 16 M/C	52 S	TL			K 72	65,00	79,30	110	70	16	52 S	TL		K 72	f/r	3,25
4027694121350	11120135	130/70 - 16 M/C	61 S	TL			K 66	94,00	114,68	130	70	16	61 S	TL		K 66	r	4,47
4027694121381	11120138	140/70 - 16 M/C	65 S	TL			K 66	97,00	118,34	140	70	16	65 S	TL		K 66	r	5,76
<b>WINTER TYRES, M+S</b>																		
4027694160151	11160015	3.00 - 10	50 J	TL	Reinf.		K 58 M+S Snowtex	48,00	58,56		3.00	10	50 J	TL	RF	K 58 M+S Snowtex	f/r	2,03
4027694160182	11160018	3.50 - 10	59 M	TL	Reinf.		K 58 M+S Snowtex	54,00	65,88		3.50	10	59 M	TL	RF	K 58 M+S Snowtex	f/r	2,33
4027694160335	11160033	90/90 - 10	50 J	TL			K 58 M+S Snowtex	54,00	65,88	90	90	10	50 J	TL		K 58 M+S Snowtex	f/r	2,39
4027694160373	11160037	100/90 - 10	61 J	TL	Reinf.		K 58 M+S Snowtex	56,00	68,32	100	90	10	61 J	TL	RF	K 58 M+S Snowtex	f/r	3,18
4027694160410	11160041	120/90 - 10	66 M	TL			K 77 M+S Snowtex	70,00	85,40	120	90	10	66 M	TL		K 77 M+S Snowtex	f/r	3,44
4027694160458	11160045	130/90 - 10	61 J	TL			K 77 M+S Snowtex	74,00	90,28	130	90	10	61 J	TL		K 77 M+S Snowtex	f/r	3,83
4027694160472	11160047	100/80 - 10	58 M	TL	Reinf.		K 58 M+S Snowtex	57,00	69,54	100	80	10	58 M	TL	RF	K 58 M+S Snowtex	f/r	2,52
4027694160540	11160054	110/80 - 10	63 M	TL	Reinf.		K 58 M+S Snowtex	59,00	71,98	110	80	10	63 M	TL	RF	K 58 M+S Snowtex	f/r	2,7
4027694160519	11160051	120/70 - 10	54 M	TL	Reinf.		K 62 M+S Snowtex	70,00	85,40	120	70	10	54 M	TL	RF	K 62 M+S Snowtex	f/r	3,27
4027694160571	11160057	130/70 - 10	62 M	TL	Reinf.		K 62 M+S Snowtex	70,00	85,40	130	70	10	62 M	TL	RF	K 62 M+S Snowtex	f/r	3,28
4027694160663	11160066	110/70 - 11	45 M	TL			K 58 M+S Snowtex	59,00	71,98	110	70	11	45 M	TL		K 58 M+S Snowtex	f/r	2,59
4027694160588	11160058	120/70 - 11	56 M	TL	Reinf.		K 58 mod.	65,00	79,30	120	70	11	56 M	TL	RF	K 58 mod. M+S Snowtex	f/r	2,9
4027694160618	11160061	3.00 - 12	47 J	TT	Enduro		K 57	49,00	59,78		3.00	12	47 J	TT		K 57 M+S Snowtex	f/r	2,19
4027694161868	11160186	90/90 - 12	54 M	TL			K 58 M+S Snowtex	57,00	69,54	90	90	12	54 M	TL		K 58 M+S Snowtex	f/r	2,64
4027694160823	11160082	120/80 - 12	65 M	TL			K 58 mod.	65,00	79,30	120	80	12	65 M	TL		K 58 mod. M+S Snowtex	f/r	3,34
4027694160830	11160083	130/80 - 12	69 M	TL			K 62 M+S Snowtex	75,00	91,50	130	80	12	69 M	TL		K 62 M+S Snowtex	f/r	4,29
4027694161394	11160139	110/70 - 12	56 M	TL			K 58 M+S Snowtex	60,00	73,20	110	70	12	56 M	TL		K 58 M+S Snowtex	f/r	2,87
4027694160694	11160069	120/70 - 12	58 S	TL	Reinf.		K 58mod. M+S Snowtex	81,00	98,82	120	70	12	58 S	TL	RF	K 58 mod. M+S Snowtex	f/r	3,41
4027694161707	11160170	120/70 - 12	58 S	TL	Reinf.		K 66 LT M+S SiO2	83,00	101,26	120	70	12	58 S	TL	RF	K 66 / LT M+S SiO2	f/r	3,77
4027694160724	11160072	130/70 - 12	62 P	TL	Reinf.		K 58mod. M+S Snowtex	82,00	100,04	130	70	12	62 P	TL	RF	K 58 mod. M+S Snowtex	f/r	3,54
4027694161783	11160178	130/70 - 12	62 P	TL	Reinf.		K 66 LT M+S SiO2	84,00	102,48	130	70	12	62 P	TL	RF	K 66 / LT M+S	f/r	3,68
4027694160731	11160073	140/70 - 12	65 P	TL	Reinf.		K 58mod. M+S Snowtex	91,00	111,02	140	70	12	65 P	TL	RF	K 58 mod. M+S Snowtex	r	3,99
4027694160885	11160088	110/90 - 13 M/C	56 Q	TL			K 58mod. M+S Snowtex	86,00	104,92	110	90	13	56 Q	TL		K 58 mod. M+S Snowtex	f/r	3,88
4027694161776	11160177	110/70 - 13 M/C	48 S	TL		new	K 66 M+S Snowtex	65,00	79,30	110	70	13	48 S	TL		K 66 M+S Snowtex	f	3
4027694160854	11160085	120/70 - 13 M/C	53 P	TL			K 62 M+S Snowtex	65,00	79,30	120	70	13	53 P	TL		K 62 M+S Snowtex	f/r	2,99
4027694160892	11160089	130/70 - 13 M/C	63 Q	TL	Reinf.		K 62 M+S Snowtex	95,00	115,90	130	70	13	63 Q	TL	RF	K 62 M+S Snowtex	f/r	4,41
4027694161042	11160104	150/70 - 13 M/C	64 S	TL			K 66 M+S Snowtex	104,00	126,88	150	70	13	64 S	TL		K 66 M+S Snowtex	r	4,72
4027694160717	11160071	130/60 - 13 M/C	60 P	TL	Reinf.		K 62 M+S Snowtex	66,00	80,52	130	60	13	60 P	TL	RF	K 62 M+S Snowtex	f/r	3,29
4027694162001	11160200	130/60 - 13 M/C	60 P	TL	Reinf.		K 66 LT M+S SiO2	70,00	85,40	130	60	13	60 P	TL	RF	K 66 LT M+S Silica	f/r	3,76
4027694160595	11160059	140/60 - 13 M/C	63 P	TL	Reinf.		K 62 M+S Snowtex	83,00	101,26	140	60	13	63 P	TL	RF	K 62 M+S Snowtex	r	3,97
4027694161493	11160149	80/90 - 14 M/C	46 P	TL	Reinf.		K 66 M+S Snowtex	60,00	73,20	80	90	14	46 P	TL	RF	K 66 M+S Snowtex	f/r	2,23
4027694161585	11160158	90/90 - 14 M/C	52 P	TL	Reinf.		K 66 M+S Snowtex	65,00	79,30	90	90	14	52 P	TL	RF	K 66 M+S Snowtex	f/r	2,59

4027694161530	11160153	100/90 - 14 M/C	57 P	TL	Reinf.	K 66 M+S Snowtex	79,00	96,38	100	90	14	57 P	TL	RF	K 66 M+S Snowtex	f/r	3,37
4027694161608	11160160	110/80 - 14 M/C	59 P	TL	Reinf.	K 66 M+S Snowtex	82,00	100,04	110	80	14	59 P	TL	RF	K 66 M+S Snowtex	f/r	3,62
4027694161011	11160101	120/80 - 14 M/C	58 S	TL		K 66 M+S Snowtex	88,00	107,36	120	80	14	58 S	TL		K 66 M+S Snowtex	f/r	4,01
4027694161165	11160116	120/70 - 14 M/C	55 S	TL		K 66 M+S Snowtex	86,00	104,92	120	70	14	55 S	TL		K 66 M+S Snowtex	f/r	3,97
4027694161189	11160118	140/70 - 14 M/C	68 S	TL	Reinf.	K 66 M+S Snowtex	104,00	126,88	140	70	14	68 S	TL	RF	K 66 M+S Snowtex	r	5,52
4027694161028	11160102	120/70 - 15 M/C	56 S	TL		K 66 M+S Snowtex	91,00	111,02	120	70	15	56 S	TL		K 66 M+S Snowtex	f	4,22
4027694161257	11160125	80/80 - 16 M/C	46 J	TL	Reinf.	K 66 M+S Snowtex	52,00	63,44	80	80	16	46 J	TL	RF	K 66 M+S Snowtex	f/r	2,18
4027694161301	11160130	90/80 - 16 M/C	52 J	TL	Reinf.	K 66 M+S Snowtex	58,00	70,76	90	80	16	52 J	TL	RF	K 66 M+S Snowtex	f/r	2,93
4027694160984	11160098	100/80 - 16 M/C	56 P	TL	Reinf.	K 66 M+S Snowtex	75,00	91,50	100	80	16	56 P	TL	RF	K 66 M+S Snowtex	f/r	2,96
4027694161035	11160103	120/80 - 16 M/C	60 S	TL	Reinf.	K 66 M+S Snowtex	107,00	130,54	120	80	16	60 S	TL	RF	K 66 M+S Snowtex	r	5,28
4027694161349	11160134	110/70 - 16 M/C	52 S	TL		K 66 M+S Snowtex	82,00	100,04	110	70	16	52 S	TL		K 66 M+S Snowtex	f/r	3,1
4027694164128	11160412	2.75 - 16 M/C	46 M	TT	Reinf.	K 42 M+S SiO2	47,00	57,34		2.75	16	46 M	TT	RF	K 42 M+S SiO2	f/r	2,58
4027694164340	11160434	120/90 - 17 M/C	68 T	TT	Reinf.	K 60 M+S SiO2	122,00	148,84	120		90	68 T	TT	RF	K 60 M+S SiO2	r	5,55
4027694164371	11160437	130/80 - 17 M/C	69 T	TT	Reinf.	K 60 M+S SiO2	126,00	153,72	130		80	69 T	TT	RF	K 60 M+S SiO2	r	5,55
4027694163510	11160351	80/90 - 17 M/C	50 S	TL		K 66 M+S SiO2	71,00	86,62	80		90	50 S	TL	RF	K 66 M+S SiO2	f/r	2,72
4027694163589	11160358	100/80 - 17 M/C	52 H	TL		K 66 M+S SiO2	96,00	117,12	100		80	52 H	TL		K 66 M+S SiO2	f/r	3,9
4027694163596	11160359	110/70 - 17 M/C	54 H	TL		K 66 M+S SiO2	108,00	131,76	110		70	54 H	TL		K 66 M+S SiO2	f/r	3,77
4027694163541	11160354	120/70 - 17 M/C	58 H	TL		K 73 M+S SiO2	129,00	157,38	120		70	58 H	TL		K 73 M+S SiO2	f	4,51
4027694163640	11160364	130/70 - 17 M/C	62 H	TL		K 66 M+S SiO2	133,00	162,26	130		70	62 H	TL		K 66 M+S SiO2	r	5,38
4027694163725	11160372	140/70 - 17 M/C	66 H	TL		K 66 M+S SiO2	153,00	186,66	140		70	66 H	TL		K 66 M+S SiO2	r	5,78
4027694163688	11160368	160/60 - 17 M/C	69 H	TL		K 73 M+S SiO2	171,00	208,62	160		60	69 H	TL		K 73 M+S SiO2	r	6,2
4027694164555	11160455	90/90 - 18 M/C	51 S	TT		K 60 M+S SiO2	86,00	104,92	90		90	51 S	TT		K 60 M+S SiO2	f/r	3,79
4027694164562	11160456	120/90 - 18 M/C	71 T	TT	Reinf.	K 60 M+S SiO2	133,00	162,26	120		90	71 T	TT	RF	K 60 M+S SiO2	r	5,87
4027694164500	11160450	110/80 - 18 M/C	58 S	TT		K 60 M+S SiO2	105,00	128,10	110		80	58 S	TT		K 60 M+S SiO2	f/r	4,74
4027694164524	11160452	120/80 - 18 M/C	62 T	TT		K 60 M+S SiO2	109,00	132,98	120		80	62 T	TT		K 60 M+S SiO2	r	4,76
4027694164654	11160465	4.00 - 19 M/C	71 P	TT	Reinf.	K 37 M+S SiO2	143,00	174,46		4.00	19	71 P	TT	RF	K 37 M+S SiO2	f/r	6,19
4027694164616	11160461	100/90 - 19 M/C	57 T	TL		K 60 M+S SiO2	111,00	135,42	100		90	57 T	TL		K 60 M+S SiO2	f	4,65
4027694164814	11160481	90/90 - 21 M/C	54 T	TT		K 60 M+S SiO2	83,00	101,26	90		90	54 T	TT		K 60 M+S SiO2	f	3,78

**MOPED**

4027684110095	11110009	2½ - 16 (20x2.25)	38 J	TT		new	M 3	27,50	33,55		2.25	16	38 J	TT	M 3	f/r	1,38	
4027684110101	11110010	2½ - 16 (20x2.25)	38 J	TT		new	M 4	28,00	34,16		2.25	16	38 J	TT	M 4	f/r	1,38	
4027684110132	11110013	2½ - 16 (20x2.50)	31 B	TT			K 30	35,00	42,70		2.50	16	31 B	TT	K 30	f/r	1,72	
4027684110149	11110014	2.50 - 16	41 J	TT	Reinf.		K 36/1	35,50	43,31		2.50	16	41 J	TT	RF	K 36/1	f/r	1,87
4027684110170	11110017	2½ - 16 (20x2.75)	46 J	TT	Reinf.		K 30	34,50	42,09		2.75	16	46 J	TT	RF	K 30	f/r	1,77
4027684110163	11110016	2½ - 16 (20x2.75)	36 B	TT			K 46	38,50	46,97		2.75	16	36 B	TT	K 46	f/r	2,17	
4027684110507	11110050	2½ - 16 (20x2.75)	46 J	TT	Reinf.		K 36/1	35,50	43,31		2.75	16	46 J	TT	RF	K 36/1	f/r	1,87
4027684110514	11110051	2½ - 16 (20x2.75)	46 J	TT	Reinf.		K 55	37,50	45,75		2.75	16	46 J	TT	RF	K 55	f/r	1,97
	61010019	2.75 - 16	40 L	TT	Weißwand		Anlas NR-2	70,00	85,40		2.75	16	40 L	TT	IRC NR-2	f/r	1,94	
	61010072	2 - 17 (21x2.00)	31 J	TT			Anlas NR-1	24,00	29,28		2	17	31 J	TT	RF	IRC NR-1	f/r	1,1
4027684111047	11110104	2½ - 17 (21x2.25)	28 B	TT			M 3	28,00	34,16		2.25	17	28 B	TT	M 3	f/r	1,42	
4027684110200	11110020	2½ - 17 (21x2.25)	28 B	TT			M 4	30,00	36,60		2.25	17	28 B	TT	M 4	f/r	1,42	
	61010421	2.25 - 17	33 L	TT			Anlas NR-7	25,00	30,50		2.25	17	33 L	TT	IRC NR-7	f/r	1,38	
4027684110316	11110031	2.50 - 17 (2½ - 17)	43 J	TT	Reinf.		K 36/1	37,00	45,14		2.50	17	43 J	TT	RF	K 36/1	f/r	1,86
4027684110323	11110032	2.50 - 17 (2½ - 17)	43 J	TT	Reinf.		K 56	37,00	45,14		2.50	17	43 J	TT	RF	K 56	f/r	1,83
4027684130505	11130050	2.75 - 17 (2¾ - 17)	47 P	TT	Reinf.		K 36	38,00	46,36		2.75	17	47 P	TT	RF	K 36/1	f/r	1,94
4027684130529	11130052	2.75 - 17 (2¾ - 17)	47 P	TT	Reinf.		K 56	41,00	50,02		2.75	17	47 P	TT	RF	K 56	f/r	2,1
4027684140214	11140021	2.75 - 17 M/C	47 P	TT	Reinf.		K 58	51,00	62,22		2.75	17	47 P	TT	RF	K 58	f/r	2,84
	61010572	2.75 - 17	41 P	TT	Weißwand		Anlas NR-7	67,00	81,74		2.75	17	41 P	TT	IRC NR-7	f/r	2,5	
4027684131823	11130182	3.00 - 17 M/C	50 P	TT	Reinf.	new	K 36/1	48,00	58,56		3.00	17	50 P	TT	RF	K 36/1	f/r	2,54
4027684140252	11140025	3.00 - 17 M/C	50 P	TT	Reinf.		K 58	58,00	70,76		3.00	17	50 P	TT	RF	K 58	f/r	3,4
	61010207	2.00 - 19 (23x2.00)	24 J	TT	Weißwand		Anlas NR-7	64,00	78,08		2.00	19	24 J	TT	IRC NR-7	f/r	1,4	
	61010206	2.00 - 19 (23x2.00)	24 J	TT			Anlas NR-7	27,00	32,94		2.00	19	24 J	TT	IRC NR-7	f/r	1,35	
4027684110903	11110090	2½ - 19 (23x2.25)	32 S	TT			M 3	30,50	37,21		2.25	19	32 S	TT	M 3	f/r	1,44	
	61010023	2.25 - 19	37 L	TT	Weißwand		Anlas NR-7	67,00	81,74		2.25	19	37 L	TT	IRC NR-7	f/r	1,6	

	61010020	2.50 - 19 (23x2.50)	41 L	TT		Anlas NR-14	29,00	35,38		2.50	19	41 L	TT	IRC NR-14	f/r	1,75	
	61010022	2.50 - 19	41 L	TT	Weißwand	Anlas NR-14	69,00	84,18		2.50	19	41 L	TT	IRC NR-14	f/r	1,8	
	61110358	26 x 2.00 (2.00-22)		TT	Fahrrad	Anlas NDA-2	15,50	18,91		2.00	22		TT	NDA	f/r	0,94	
	61010256	26 x 2.00 (2.00-22)	30 B	TT	Reinf.	Anlas Roadster	31,00	37,82		2.00	22	30 B	TT	RF IRC Roadster	f/r	1,15	
	61010050	26 x 2.00 (2.00-22)	30 B	TT	Weißwand	Anlas Roadster	38,00	46,36		2.00	22	30 B	TT	IRC Roadster	f/r	1,2	
	61010010	26 x 2.25 (2.25-22)	37 L	TT	Moped	Anlas NR-1	35,50	43,31		2.25	22	37 L	TT	IRC NR-1	f/r	1,4	
	61010145	26 x 2.50 (2.50-22)	39 J	TT		Swallow HS248	70,00	85,40		2.50	22	39 J	TT	HS 248	f/r	1,6	
<b>CROSS, OFF ROAD</b>																	
	4027694172406	11170240	120/90 - 17 M/C	68 T	TT		K 74	110,00	134,20	120	90	17	68 T	TT	K 74	r	5,28
	4027694172451	11170245	130/80 - 17 M/C	65 T	TT		K 74	112,00	136,64	130	80	17	65 T	TT	K 74	r	5,44
	4027694172567	11170256	120/90 - 18 M/C	65 S	TT		K 74	113,00	137,86	120	90	18	65 S	TT	K 74	r	5,78
	4027694172598	11170259	140/80 - 18 M/C	70 R	TT		K 74	126,00	153,72	140	80	18	70 R	TT	K 74	r	7,07
	4027694172864	11170286	90/90 - 21 M/C	54 S	TT		K 69 front	64,00	78,08	90	90	21	54 S	TT	K 69 front	f	3,55
	4027694172895	11170289	90/90 - 21 M/C	54 S	TT		K 79 front	69,00	84,18	90	90	21	54 S	TT	K 79 front	f	3,31
<b>RACING TIRES</b>																	
<b>SCOOTER RACING</b>																	
	4027694150251	11150025	3.50 - 10	59 J	TL	WET	K 58	68,00	82,96		3.50	10	59 J	TL	K 58	f/r	2,41
	4027694150121	11150012	100/90 - 12 NHS	62 M	TL	SRS2	K80 SR	86,00	104,92	100	90	12	64 M	TL	K80SR SRS2	f/r	2,86
	4027694150862	11150086	120/80 - 12 NHS	65 M	TL	SRS2	K80 SR	96,00	117,12	120	80	12	65 M	TL	K80SR SRS2	f/r	3,22
	4027694150145	11150014	100/90 - 12 NHS	62 M	TL	SRM2	K80 SR	86,00	104,92	100	90	12	64 M	TL	K80SR SRM2	f/r	2,64
	4027694150855	11150085	120/80 - 12 NHS	65 M	TL	SRM2	K80 SR	96,00	117,12	120	80	12	65 M	TL	K80SR SRM2	f/r	3,23
<b>VINTAGE RACING</b>																	
	4027694150084	11150008	2.75 - 16 M/C	46 P		CRM	K 55	68,00	82,96								
	4027694150022	11150002	2.00 - 18 M/C	26 H		CRM	K 40	81,00	98,82								
	4027694150039	11150003	2.25 - 18 M/C	34 H		CRM	K 40	81,00	98,82								
	4027694150787	11150078	2.50 - 18 M/C	45 H		CRM	K 40	101,00	123,22								
	4027694150169	11150016	2.75 - 18 M/C	42 S		CRM	K 45	111,00	135,42								
	4027694150190	11150019	3.00 - 18 M/C	47 H		CRM	K 65	130,00	158,60								
	4027694150879	11150087	3.50 - 18 M/C	56 H		CRM	K 65	158,00	192,76								
	4027694150183	11150018	90/90 - 18 M/C	51 H		CRM	K 44	131,00	159,82								
	4027694151043	11150104	100/90 - 18 M/C	56 H		CRM	K 65	164,00	200,08								
	4027694151142	11150114	110/80 - 18 M/C	60 H		CRM	K 65	204,00	248,88								
	4027694151456	11150145	3.25 - 19 M/C	54 H		CRM	K 34	138,00	168,36								
<b>KART</b>																	
<b>KART - RENTAL (IN- OUTDOOR)</b>																	
	4027694190141	20011014	<b>10 x 4.50 - 5</b>	hard	yellow	<b>new</b>	HEK1	35,00	42,70								
	4027694190158	20011015	<b>10 x 4.50 - 5</b>	long distance	TL	green/orange	HNL	31,50	38,43		4.50	5		TL	Slick long distance HNL	f	1,27
	4027694190127	20011012	<b>10 x 4.50 - 5</b>	long distance	TL	green/green	HLD	31,50	38,43		4.50	5		TL	Slick long distance HLD	f	1,25
	4027694190172	20011017	<b>10 x 4.50 - 5</b>	extreme hard	TL		HEX	32,00	39,04		4.50	5		TL	Slick extrem hart LD HEX	f	1,24
	4027694192121	20011212	<b>10 x 4.50 - 5</b>	medium	TL		HDD	30,00	36,60		4.50	5		TL	Intermedia mittelhart HDD	f	1,29
	4027694190257	20011025	<b>11 x 6.00 - 5</b>	long distance	TL	green/orange	HNL	36,50	44,53		6.00	5		TL	Slick long distance HNL	r	1,5
	4027694190226	20011022	<b>11 x 6.00 - 5</b>	long distance	TL	green/green	HLD	36,50	44,53		6.00	5		TL	Slick long distance HLD	r	1,51
	4027694190325	20011032	<b>11 x 7.10 - 5</b>	long distance	TL	green/green	HLD	39,50	48,19		7.10	5		TL	Slick long distance HLD	r	1,64
	4027694190349	20011034	<b>11 x 7.10 - 5</b>	hard	yellow	<b>new</b>	HEK1	42,00	51,24								
	4027694190370	20011037	<b>11 x 7.10 - 5</b>	extreme hard	TL		HEX	40,00	48,80		7.10	5		TL	Slick extreme hard LD HEX	r	1,56
	4027694192305	20011230	<b>11 x 7.10 - 5</b>	medium	TL	intermedia	HDD	36,50	44,53		7.10	5		TL	Intermedia mittelhart HDD	r	1,48
	4027694190356	20011035	<b>11 x 7.10 - 5</b>	hard		green/orange	HNL	39,50	48,19								
<b>KART - RACING</b>																	
	4027694191131	20011113	<b>10 x 4.50 - 5</b>	medium soft	TL		RKMS	36,00	43,92		4.50	5		TL	Slick medium soft RKMS	f	1,08
	4027694192343	20011234	<b>11 x 7.10 - 5</b>	medium soft	TL		RKMS gelb/rot	47,00	57,34		7.10	5		TL	Slick medium soft RKMS	r	1,43
<b>CADET</b>																	
	4027694190097	20011009	<b>10 x 4.00 - 5</b>				T-Race grün	30,50	37,21								
	4027694190493	20011049	<b>11 x 5.00 - 5</b>				T-Race grün	37,50	45,75								
<b>RAIN</b>																	
	4027694191155	20011115	<b>4.5/10.0 - 5</b>	soft	TL			39,00	47,58		4.5	5		TL	Rain soft WH1	f	1,15



4027694191254	20011125	<b>6.0/11.0 - 5</b>	soft	TL	57,00	69,54	6.0	5	TL	Rain soft WH1	r	1,62
<b>ICE RACER</b>												
4027694194125	20011412	<b>11 x 4.50 - 5</b>	ICE Racer	TL	38,00	46,36	4.50	5	TL	ICE Racer	f/r	1,64
<b>FLAPS</b>												
4027694250418	61050041	28 x 10	<b>10</b>		1,90	2,32		10		28x10		0,03
4027694250111	61050011	20 x 12	<b>12</b>		1,90	2,32		12		20x12		0,03
4027694250432	61050043	22 x 14	<b>14</b>		2,00	2,44		14		22x14		0,03
4027694250340	61050034	38 x 15	<b>15</b>		2,60	3,17		15		38x15		0,05
4027694250401	61050040	50 x 15	<b>15</b>		2,80	3,42		15		50x15		0,07
4027694250067	61050006	22 x 16/17	<b>16/17</b>		2,10	2,56		16		22x16/17		0,03
4027694250098	61050009	30 x 16/17	<b>16/17</b>		2,50	3,05		16		30x16/17		0,04
4027694250104	61050010	38 x 16/17	<b>16/17</b>		2,70	3,29		16		38x16/17		0,05
4027694250128	61050012	50 x 16/17	<b>16/17</b>		2,90	3,54		16		50x16/17		0,07
4027694250135	61050013	60 x 16/17	<b>16/17</b>		3,30	4,03		16		60x16/17		0,09
4027694250364	61050036	22 x 18/19	<b>18/19</b>		2,20	2,68		18		22x18/19		0,03
4027694250630	61050063	28 x 18/19	<b>18/19</b>		2,40	2,93		18		28x18/19		0,04
4027694250647	61050064	38 x 18/19	<b>18/19</b>		2,70	3,29		18		38x18/19		0,06
4027694250425	61050042	50 x 18	<b>18</b>		3,20	3,90		18		50x18		0,08
4027694250166	61050016	25 x 21	<b>21</b>		2,50	3,05		21		25x21		0,04